


DEGREE-II (HONS)

1.


19/10/2020

Topic - Preparation, Properties and Uses of "ANILINE"



By - Dr. Rinky Kumari.
Dept. of Chemistry.
J.N. College, Madhubani

According to resonance theory, aniline is considered to be hybrid of the following resonance structures.




Ortho and para positions in the above resonance structures carry a negative charge. An electrophile (E^+) will attack these positions.

* Thus, the amino group directs all electrophiles to the

ortho and para positions.



2.



* Since $-NH_2$ group is activating, the aniline undergoes electrophilic substitution faster than benzene.

PREPARATION OF ANILINE

By the reduction of nitrobenzene.



($M = Sn, Zn, Fe, etc.$)




PHYSICAL PROPERTIES

- * In pure state, aniline is colourless.
- * It becomes pale yellow and then rapidly darkens on exposure to air owing to oxidation.
- * It is steam volatile.

CHEMICAL PROPERTIES

3.


1. Reaction with HNO_2




This reaction is called Diazotisation Reaction.

2. Coupling Reaction


Aniline reacts with benzenediazonium chloride to give p-aminodiazobenzene (yellow dye).




3. Oxidation




4. Halogenation



5. Sulphonation



6. Nitration



Uses of Aniline

For manufacturer of antioxidant,

For Preparation of dyes, For synthesis of sulpha drugs.

Aniline

Completed.